



EasyBase Assembly



Important! Read the directions and study the pictures—it makes all the difference.

Matthew Burak

Everything you need to build your base is supplied.

4 table legs*


4 "aprons"

4 corner blocks

8 mounting bolts

8 washers

Allen (hex) wrench—
no additional
tools required



* Your legs and aprons may be a different size or style than shown in the photo—not to worry, the assembly is the same.



Assemble your base upside down on a smooth, flat surface that is larger than the table base you're building.

1: Lay out the aprons.

Be sure the holes in the aprons for mounting the top are to the inside of the base, in the down position.

Mounting holes face in and down.

2: Install the legs.

Insert the aprons into the 4 legs at all 4 corners without hardware.

Tabs on the aprons should fit snugly inside the leg slots.

3: Install the corner blocks.


Align and "seat" the blocks.

Insert the bolts and washers.

Finger tighten all the bolts before tightening with the supplied wrench.

You're almost done!





4: Tighten the base.

Using the supplied wrench, tighten each bolt until it stops turning and the wrench handle begins to spring back.




Over-tightening may damage the parts.

5: Check the joinery.

Turn your table right-side up and carefully inspect the fit at each corner. If need be, fine-tune the fit by loosening the bolts and realigning the leg and aprons.



You're ready to mount your table top!



Check the fit at each corner.

